Corporation obtaining approval, the name of its representative, and the address of its main office

University of Tsukuba Youichi IWASAKI, President 1-1-1 Tennoudai, Tsukuba, Ibaraki

Name of the type of Living	Eucalyptus tree containing salt tolerance inducing gene codA derived
Modified Organism:	from Arthrobacter globformis (codA, Eucalyptus globulus Labill.)
	(2-1-1)
Content of the Type 1 Use	Cultivation in confined field, storage, transportation, disposal, and
of Living Modified	acts incidental to them
Organism:	
Method of the Type 1 Use	Location:1-1-1 Tennnoudai, Tsukuba, Ibaraki 305-8602, Japan
of Living Modified	Name: confined field II , Gene Research Center, University of Tsukuba
Organism:	Period of evaluation: From February 8, 2008 to December 31, 2011
	1. Facilities of the confined field
	(1) 230cm-high security fence (consisting of 30cm-high barbed wire,
	180cm-high mesh fence, and 20cm-high concrete wall buried to a
	depth of 68cm upon the 15cm-layer of stones in the underground)
	around the circumference of the confined field to prevent
	unauthorized entry.
	(2) Prominent notice board that is easy to find, indicating the area is a
	confined field and is forbiddance of unauthorized entry, also
	indicating the name of the administrator.
	(3) Washing area to wash out living modified organisms from
	machinery, equipment, and footwear used in the area. Install
	sedimentation tank and nets in a drainage system to prevent
	unexpected flowing out of extraneous living modified eucalyptus.
	2. Operation procedures in the confined field
	(1) Suppress the growth of plants other than the living modified
	eucalyptus and the control non-transgenic eucalyptus to the lowest
	level with the planting section.
	(2) Prevent unexpected spillage of the living modified eucalyptus in

Approved Type 1 Use Regulation

transit and storage by using secure container.
(3) Inactivate the living modified eucalyptus after cultivation by
plowing back in the confined field or other methods, except transit
and storage of the living modified eucalyptus outside the confined
field in compliance with paragraph (2).
(4) Remove and autoclave flower buds before anthesis in order to
avoid pollen dispersal.
(5) Prevent unexpected outspread of extraneous living modified
eucalyptus to machinery, equipment, and footwear used in the area by
washing out in the confined field.
(6) Maintain and manage the facility to maximize the function.
(7) Ensure personnel compliance with paragraphs (1) through (6)
when implementing Type I Use.
(8) When risk of an adverse effect on biological diversity is detected,
ensure implementation of stipulated "emergency measures plan".