

Corporation obtaining approval, the name of its representative, and the address of its main office

Tohoku University  
 Takashi Yoshimoto, President  
 2-1-1 katahira, Aoba-ku, Sendai, Miyagi

Approved Type 1 Use Regulation

Name of the type of Living Modified Organism:	Rice tolerant to low iron availability ( <i>HvNAS1</i> , <i>HvNAAT-A</i> , <i>APRT</i> , <i>Oryza sativa</i> L.) (I3pNasNaatAprt1)
Content of the Type 1 Use of Living Modified Organism:	Cultivation in isolated field, storage, transportation, disposal, and acts incidental to them.
Method of the Type 1 Use of Living Modified Organism:	<p>Location: 232-3 Oguchi-Aza-Yomogida, Tamatsukuri, Naruko, Miyagi</p> <p>Name: Isolated field, Field Science Center, Graduate School of Agricultural Science, Tohoku University</p> <p>Period of evaluation: From April 2005 to March 2007</p> <p>1. Facilities of the isolated field</p> <p>(1) Calcareous soil field consisting of shellfish fossil soil, and Andosol filed for growth comparison.</p> <p>(2) Security fence to prevent unauthorized entry.</p> <p>(3) Prominent notice board indicating the name of the administrator and forbiddance of unauthorized entry.</p> <p>(4) Net to protect rice grains from sparrow will be installed before heading time.</p> <p>(5) Washing area to wash out soil from machinery, equipment, and footwear.</p>

	<p>2. Operation procedures in the isolated field</p> <ol style="list-style-type: none"><li>(1) Suppress the growth of plants other than recombinant rice and the control rice to the lowest level.</li><li>(2) Prevent unexpected spillage of recombinant rice seeds in transit and storage.</li><li>(3) Inactivate recombinant rice after cultivation.</li><li>(4) Prevent unexpected outspread of extraneous recombinant rice to machinery, equipment, and footwear used in the area.</li><li>(5) Maintain the facility so that it can adequately function.</li><li>(6) Ensure personnel compliance with paragraphs (1) through (5) when implementing Type I Use.</li><li>(7) When risk of an adverse effect on biological diversity is detected, ensure implementation of stipulated “emergency measures plan”.</li></ol>
--	--