

**Corporation obtaining approval, the name of its representative, and the address of its main office**

SUNTORY LIMITED  
 Nobutada Saji, President  
 Dojimahama 2-1-40,  
 Kita-ku, Osaka, Osaka

**Approved Type 1 Use Regulation**

Name of the type of Living Modified Organism:	Purple-violet carnation123.8.12 ( <i>F3'5'H, DFR, surB, Dianthus caryophyllus L.</i> ) (OECD UI: FLO-40689-6)
Content of the Type 1 Use of Living Modified Organism:	Cultivation in isolated field, storage, transportation, disposal, and acts incidental to them
Method of the Type 1 Use of Living Modified Organism:	<p>Location: 387-2 Chiyoshiba, Fukudashimoaza, Tsuyama, Okayama, Japan</p> <p>Name: Isolated field at Misaki, NISSHOKU Corporation</p> <p>Period of Use: From November 6 , 2007 to May 31, 2009</p> <ol style="list-style-type: none"> <li>1. Facilities of the isolated field           <ol style="list-style-type: none"> <li>(1) Security fence around the circumference of the isolated field to prevent unauthorized entry.</li> <li>(2) Prominent notice board that is easy to find, indicating the area is an isolated field and is forbiddance of unauthorized entry, also indicating the name of the administrator.</li> <li>(3) Washing area to wash out living modified organisms from machinery, equipment, and footwear used in the area. Install sedimentation tank and nets in a drainage system to prevent unexpected flowing out of extraneous recombinant carnation.</li> <li>(4) Miscellaneous tree are surrounding the isolated field, functioning as a shelter against wind.</li> </ol> </li> <li>2. Operation procedures in the isolated field           <ol style="list-style-type: none"> <li>(1) Suppress the growth of plants other than recombinant carnation and the control carnation to the lowest level.</li> <li>(2) Prevent unexpected spillage of recombinant carnation in transit and storage by using secure container.</li> </ol> </li> </ol>

	<p>(3) Inactivate recombinant carnation after cultivation by plowing back in the isolated field or other methods, except transit and storage of the recombinant carnation outside the isolated field in compliance with paragraph (2).</p> <p>(4) Prevent unexpected outspread of extraneous recombinant carnation by washing machinery, equipment, and footwear used the isolated field.</p> <p>(5) Maintain and manage the facility so that it can adequately function.</p> <p>(6) Ensure personnel compliance with paragraphs (1) through (5) when implementing Type 1 Use.</p> <p>(7) When risk of an adverse effect on biological diversity is detected, ensure implementation of stipulated “emergency measures plan”.</p>
--	--

